



Spring rate / Rider weight

CR85R Small Wheels 1996-2005		
	Fork spring	Shock spring
Standard spring	33-450-2,6	56/53-245-50
Rider weight		
35-40 kg	AT REQ.	42,5
40-45 kg	AT REQ.	45
45-50 kg	2,4	47,5
50-55 kg	STD	STD
55-60 kg	2,8	52,5
60-65 kg	3,0	55
65-70 kg	3,2	57,5
70-75 kg	3,4	60

CR85R Small Wheels 2006-2007		
	Fork spring	Shock spring
Standard spring	33-450-2,8	56/53-245-50
Rider weight		
35-40 kg	AT REQ.	42,5
40-45 kg	2,4	45
45-50 kg	2,6	47,5
50-55 kg	STD	STD
55-60 kg	3,0	52,5
60-65 kg	3,2	55
65-70 kg	3,4	57,5
70-75 kg	3,6	60

CRF150R/B 2013-2014		
	Fork spring	Shock spring
Standard spring	33-450-3,4	56/53-245-50
Rider weight		
35-40 kg	2,6	40
40-45 kg	2,8	42,5
45-50 kg	3,0	45
50-55 kg	3,2	47,5
55-60 kg	STD	STD
60-65 kg	3,6	52,5
65-70 kg	3,8	55
70-75 kg	AT REQ.	57,5

CR250R 2001-2007		
	Fork spring	Shock spring
Standard spring	42,75-495-4,2	64/66-260-50
Rider weight		
55-65 kg	3,8	46
65-75 kg	4,0	48
75-85 kg	STD	STD
85-95 kg	4,4	52
95-105 kg	4,6	54
105-115 kg	4,8	56
115-125 kg	5,0	58

CR85RB Large Wheels 2000-2007		
	Fork spring	Shock spring
Standard spring	33-450-2,8	56/53-245-52,5
Rider weight		
35-40 kg	AT REQ.	45
40-45 kg	2,4	47,5
45-50 kg	2,6	50
50-55 kg	STD	STD
55-60 kg	3,0	55
60-65 kg	3,2	57,5
65-70 kg	3,4	60
70-75 kg	3,6	AT REQ.

CRF150R/B 2007-2012		
	Fork spring	Shock spring
Standard spring	33-450-3,6	56/53-245-50
Rider weight		
35-40 kg	2,8	40
40-45 kg	3,0	42,5
45-50 kg	3,2	45
50-55 kg	3,4	47,5
55-60 kg	STD	STD
60-65 kg	3,8	52,5
65-70 kg	AT REQ.	55
70-75 kg	AT REQ.	57,5

CR125R 2000-2007		
	Fork spring	Shock spring
Standard spring	41-485-4,2	59/62-270-46
Rider weight		
45-55 kg	AT REQ.	42
55-65 kg	AT REQ.	44
65-75 kg	AT REQ.	STD
75-85 kg	AT REQ.	48
85-95 kg	AT REQ.	50
95-105 kg	AT REQ.	52
105-115 kg	AT REQ.	54

CRF250R 2004-2007		
	Fork spring	Shock spring
Standard spring	42,75-495-4,4	64/66-260-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

Note: Rider weight is body weight without clothing.



Spring rate / Rider weight

CRF250R 2008-2009		
	Fork spring	Shock spring
Standard spring	42,75-495-4,6	64/66-260-53
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,4	50
75-85 kg	STD	STD
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58
115-125 kg	AT REQ.	60

CRF250R 2014		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	64/66-260-52
Rider weight		
45-55 kg	4,0	46
55-65 kg	4,2	48
65-75 kg	4,4	50
75-85 kg	STD	STD
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58
115-125 kg	AT REQ.	60

CRF450R 2009-2011		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	64/66-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

CRF450R 2013-2014		
	Air pressure	Shock spring
Standard spring	2,3 bar	64/66-260-54
Rider weight		
45-55 kg		48
55-65 kg		50
65-75 kg		52
75-85 kg	STD	STD
85-95 kg		56
95-105 kg		58
105-115 kg		60
115-125 kg		62

CRF250R 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,4	64/66-260-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

CRF450R 2002-2008		
	Fork spring	Shock spring
Standard spring	42,75-495-4,6	64/66-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

CRF450R 2012		
	Fork spring	Shock spring
Standard spring	43,5-460-4,8	64/66-260-54
Rider weight		
45-55 kg	4,2	48
55-65 kg	4,4	50
65-75 kg	4,6	52
75-85 kg	STD	STD
85-95 kg	5,0	56
95-105 kg	5,2	58
105-115 kg	AT REQ.	60
115-125 kg	AT REQ.	62

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

TE125 2011-2012		
	Fork spring	Shock spring
Standard spring Rider weight	43,2-485-4,0	63-250-66
45-55 kg	AT REQ.	58
55-65 kg	3,6	60
65-75 kg	3,8	63
75-85 kg	STD	STD
85-95 kg	4,2	69
95-105 kg	4,4	72
105-115 kg	4,6	76
115-125 kg	4,8	80

TE125 2013		
	Fork spring	Shock spring
Standard spring Rider weight	43,8-465-4,0	63-250-66
45-55 kg	AT REQ.	58
55-65 kg	3,6	60
65-75 kg	3,8	63
75-85 kg	STD	STD
85-95 kg	4,2	69
95-105 kg	4,4	72
105-115 kg	4,6	76
115-125 kg	4,8	80

TE125 2014		
	Fork spring	Shock spring
Standard spring Rider weight	43,8-465-3,8	63-250-66
45-55 kg	AT REQ.	58
55-65 kg	AT REQ.	60
65-75 kg	3,6	63
75-85 kg	STD	STD
85-95 kg	4,0	69
95-105 kg	4,2	72
105-115 kg	4,4	76
115-125 kg	4,6	80

TE250/300 2011-2012		
	Fork spring	Shock spring
Standard spring Rider weight	43,2-485-4,2	63-250-69
45-55 kg	3,6	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

TE250/300 2013		
	Fork spring	Shock spring
Standard spring Rider weight	43,8-465-4,2	63-250-69
45-55 kg	3,6	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

TE250/300 2014		
	Fork spring	Shock spring
Standard spring Rider weight	43,8-465-4,0	63-250-69
45-55 kg	AT REQ.	60
55-65 kg	3,6	63
65-75 kg	3,8	66
75-85 kg	STD	STD
85-95 kg	4,2	72
95-105 kg	4,4	76
105-115 kg	4,6	80
115-125 kg	4,8	84

FE250 2013		
	Fork spring	Shock spring
Standard spring Rider weight	43,8-465-4,2	63-250-69
45-55 kg	3,6	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

FE350 2013		
	Fork spring	Shock spring
Standard spring Rider weight	43,8-465-4,4	63-250-69
45-55 kg	3,8	60
55-65 kg	4,0	63
65-75 kg	4,2	66
75-85 kg	STD	STD
85-95 kg	4,6	72
95-105 kg	4,8	76
105-115 kg	5,0	80
115-125 kg	5,2	84

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

FE250/350 2014		
Standard spring Rider weight	Fork spring 43,8-465-4,2	Shock spring 63-250-69
45-55 kg	3,6	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

FE390/450/570 2009-2010		
Standard spring Rider weight	Fork spring 43,2-505-4,4	Shock spring 63-250-72
45-55 kg	3,8	63
55-65 kg	4,0	66
65-75 kg	4,2	69
75-85 kg	STD	STD
85-95 kg	4,6	76
95-105 kg	4,8	80
105-115 kg	5,0	84
115-125 kg	5,2	88

FE390/450/570 2011-2012		
Standard spring Rider weight	Fork spring 43,2-485-4,6	Shock spring 63-250-72
45-55 kg	4,0	63
55-65 kg	4,2	66
65-75 kg	4,4	69
75-85 kg	STD	STD
85-95 kg	4,8	76
95-105 kg	5,0	80
105-115 kg	5,2	84
115-125 kg	AT REQ.	88

FE450/501 2013		
Standard spring Rider weight	Fork spring 43,8-465-4,6	Shock spring 63-250-72
45-55 kg	4,0	63
55-65 kg	4,2	66
65-75 kg	4,4	69
75-85 kg	STD	STD
85-95 kg	4,8	76
95-105 kg	5,0	80
105-115 kg	5,2	84
115-125 kg	AT REQ.	88

FE450/501 2014		
Standard spring Rider weight	Fork spring 43,8-465-4,4	Shock spring 63-250-72
45-55 kg	3,8	63
55-65 kg	4,0	66
65-75 kg	4,2	69
75-85 kg	STD	STD
85-95 kg	4,6	76
95-105 kg	4,8	80
105-115 kg	5,0	84
115-125 kg	5,2	88

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

CR125 2010-2013		
	Fork spring	Shock spring
Standard spring	43,8-455-4,4	59/62-270-50
Rider weight		
40-45 kg	3,8	44
45-55 kg	4,0	46
55-65 kg	4,2	48
65-75 kg	STD	STD
75-85 kg	4,6	52
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58

WR125 2011-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-50
Rider weight		
40-45 kg	3,6	44
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	STD	STD
75-85 kg	4,4	52
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58

WR250 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-54
Rider weight		
45-55 kg	AT REQ.	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

TE250 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-52
Rider weight		
45-55 kg	4,0	46
55-65 kg	4,2	48
65-75 kg	4,4	50
75-85 kg	STD	STD
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58
115-125 kg	AT REQ.	60

TC250 2010-2013		
	Fork spring	Shock spring
Standard spring	43,8-455-4,4	59/62-270-54
Rider weight		
45-55 kg	3,8	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	62

WR300 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-54
Rider weight		
45-55 kg	3,6	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

TE310 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-52
Rider weight		
45-55 kg	4,0	46
55-65 kg	4,2	48
65-75 kg	4,4	50
75-85 kg	STD	STD
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58
115-125 kg	AT REQ.	60

TE450 2010		
	Fork spring	Shock spring
Standard spring	43,5-460-4,4	59/62-270-56
Rider weight		
45-55 kg	3,8	50
55-65 kg	4,0	52
65-75 kg	4,2	54
75-85 kg	STD	STD
85-95 kg	4,6	58
95-105 kg	4,8	60
105-115 kg	5,0	62
115-125 kg	5,2	64

Note: Rider weight is body weight without clothing.





Spring rate / Rider weight

TE449 2011-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-50
Rider weight		
45-55 kg	4,0	44
55-65 kg	4,2	46
65-75 kg	4,4	48
75-85 kg	STD	STD
85-95 kg	4,8	52
95-105 kg	5,0	54
105-115 kg	5,2	56
115-125 kg	AT REQ.	58

TC450 2010		
	Fork spring	Shock spring
Standard spring	43,8-455-4,8	59/62-270-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

TC449 2011-2013		
	Fork spring	Shock spring
Standard spring	43,8-455-4,8	59/62-270-50
Rider weight		
45-55 kg	4,2	44
55-65 kg	4,4	46
65-75 kg	4,6	48
75-85 kg	STD	STD
85-95 kg	5,0	52
95-105 kg	5,2	54
105-115 kg	AT REQ.	56
115-125 kg	AT REQ.	58

TE511 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-50
Rider weight		
45-55 kg	4,0	44
55-65 kg	4,2	46
65-75 kg	4,4	48
75-85 kg	STD	STD
85-95 kg	4,8	52
95-105 kg	5,0	54
105-115 kg	5,2	56
115-125 kg	AT REQ.	58

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

TC85 2014-2015		
	Fork spring	Shock spring
Standard spring	38-425-3,4	59-220-35
Rider weight		
30-35 kg	2,8	AT REQ.
35-40 kg	3,0	30
40-45 kg	3,2	30
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 kg	3,6	40
60-65 kg	3,8	45
65-70 kg	4,0	50
70-75 kg	AT REQ.	55
75-80 kg	AT REQ.	60

TC125 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-260-48
Rider weight		
45-55 kg	3,8	AT REQ.
55-65 kg	4,0	44
65-75 kg	4,2	46
75-85 kg	STD	STD
85-95 kg	4,6	50
95-105 kg	4,8	52
105-115 kg	5,0	54
115-125 kg	5,2	56

TC125 2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,4	63-260-48
Rider weight		
45-55 kg	3,8	AT REQ.
55-65 kg	4,0	44
65-75 kg	4,2	46
75-85 kg	STD	STD
85-95 kg	4,6	50
95-105 kg	4,8	52
105-115 kg	5,0	54
115-125 kg	5,2	56

TC250 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

TC250 2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

FC250 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

FC250 2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

FC350 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-260-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64



Spring rate / Rider weight

FC350 2015		
Standard spring	Fork spring	Shock spring
	43,8-455-4,8	63-260-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

FC450 2014		
Standard spring	Fork spring	Shock spring
	43,2-485-5,0	63-260-56
Rider weight		
45-55 kg	4,4	50
55-65 kg	4,6	52
65-75 kg	4,8	54
75-85 kg	STD	STD
85-95 kg	5,2	58
95-105 kg	AT REQ.	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

FC450 2015		
Standard spring	Fork spring	Shock spring
	43,8-455-4,8	63-260-57
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

TE125 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-465-3,8	63-260-50
Rider weight		
45-55 kg	AT REQ.	44
55-65 kg	AT REQ.	46
65-75 kg	3,6	48
75-85 kg	STD	STD
85-95 kg	4,0	52
95-105 kg	4,2	54
105-115 kg	4,4	56
115-125 kg	4,6	58

TE250/300 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-465-4,2	63-260-54
Rider weight		
45-55 kg	3,6	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

FE250/300 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-465-4,2	63-260-54
Rider weight		
45-55 kg	3,6	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

FE450/501 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-455-4,4	63-260-56
Rider weight		
45-55 kg	3,8	50
55-65 kg	4,0	52
65-75 kg	4,2	54
75-85 kg	STD	STD
85-95 kg	4,6	58
95-105 kg	4,8	60
105-115 kg	5,0	62
115-125 kg	5,2	64

Note: Rider weight is body weight without clothing.





Spring rate / Rider weight

KX85 2000-2014		
	Fork spring	Shock spring
Standard spring	31-430-2,8	55-255-47,5
Rider weight		
35-40 kg	AT REQ.	40
40-45 kg	2,4	42,5
45-50 kg	2,6	45
50-55 kg	STD	STD
55-60 kg	3,0	50
60-65 kg	3,2	52,5
65-70 kg	3,4	55
70-75 kg	3,6	57,5

KX125 2003-2004		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-48
Rider weight		
40-45 kg	3,6	42
45-55 kg	3,8	44
55-65 kg	4,0	46
65-75 kg	STD	STD
75-85 kg	4,4	50
85-95 kg	4,6	52
95-105 kg	4,8	54
105-115 kg	5,0	56

KX125 2005-2009		
	Fork spring	Shock spring
Standard spring	43,5-460-4,0	59/62-270-48
Rider weight		
40-45 kg	AT REQ.	42
45-55 kg	3,6	44
55-65 kg	3,8	46
65-75 kg	STD	STD
75-85 kg	4,2	50
85-95 kg	4,4	52
95-105 kg	4,6	54
105-115 kg	4,8	56

KX250 2003-2005		
	Fork spring	Shock spring
Standard spring	43,5-460-4,4	59/62-270-50
Rider weight		
45-55 kg	3,8	44
55-65 kg	4,0	46
65-75 kg	4,2	48
75-85 kg	STD	STD
85-95 kg	4,6	52
95-105 kg	4,8	54
105-115 kg	5,0	56
115-125 kg	5,2	58

KX250 2005-2009		
	Fork spring	Shock spring
Standard spring	43,5-470-4,4	59/62-270-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

KXF250 2004-2005		
	Fork spring	Shock spring
Standard spring	43,5-460-4,4	59/62-270-50
Rider weight		
45-55 kg	3,8	44
55-65 kg	4,0	46
65-75 kg	4,2	48
75-85 kg	STD	STD
85-95 kg	4,6	52
95-105 kg	4,8	54
105-115 kg	5,0	56
115-125 kg	5,2	58

KXF250 2006-2010		
	Fork spring	Shock spring
Standard spring	42,75-495-4,4	64/66-260-50
Rider weight		
45-55 kg	3,8	44
55-65 kg	4,0	46
65-75 kg	4,2	48
75-85 kg	STD	STD
85-95 kg	4,6	52
95-105 kg	4,8	54
105-115 kg	5,0	56
115-125 kg	5,2	58

KXF250 2011		
	Fork spring	Shock spring
Standard spring	43/40-740-9,2	64/66-260-50
Rider weight		
45-55 kg	8,0	44
55-65 kg	8,4	46
65-75 kg	8,8	48
75-85 kg	STD	STD
85-95 kg	9,6	52
95-105 kg	10,0	54
105-115 kg	10,4	56
115-125 kg	AT REQ.	58

Note: Rider weight is body weight without clothing.





Spring rate / Rider weight

KXF250 2012		
	Fork spring	Shock spring
Standard spring	43/40-740-9,2	64/66-260-52
Rider weight		
45-55 kg	8,0	46
55-65 kg	8,4	48
65-75 kg	8,8	50
75-85 kg	STD	STD
85-95 kg	9,6	54
95-105 kg	10,0	56
105-115 kg	10,4	58
115-125 kg	AT REQ.	60

KXF250 2014		
	Fork spring	Shock spring
Standard spring	43,5/29,5-660-9,6	64/66-260-52
Rider weight		
45-55 kg	8,4	46
55-65 kg	8,8	48
65-75 kg	9,2	50
75-85 kg	STD	STD
85-95 kg	10,0	54
95-105 kg	10,4	56
105-115 kg	AT REQ.	58
115-125 kg	AT REQ.	60

KXF450 2007-2008		
	Fork spring	Shock spring
Standard spring	43,5-470-4,6	59/62-270-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

KXF450 2013-2014		
	Air pressure	Shock spring
Standard spring	2,4 bar	64/66-260-54
Rider weight		
45-55 kg		48
55-65 kg		50
65-75 kg		52
75-85 kg	STD	STD
85-95 kg		56
95-105 kg		58
105-115 kg		60
115-125 kg		62

KXF250 2013		
	Fork spring	Shock spring
Standard spring	43,5/29,5-660-9,2	64/66-260-52
Rider weight		
45-55 kg	8,0	46
55-65 kg	8,4	48
65-75 kg	8,8	50
75-85 kg	STD	STD
85-95 kg	9,6	54
95-105 kg	10,0	56
105-115 kg	10,4	58
115-125 kg	AT REQ.	60

KXF450 2006		
	Fork spring	Shock spring
Standard spring	43,5-480-4,6	59/62-270-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

KXF450 2009-2012		
	Fork spring	Shock spring
Standard spring	43,5-470-4,6	64/66-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

KLX450 2007-2010		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-50
Rider weight		
45-55 kg	3,6	44
55-65 kg	3,8	46
65-75 kg	4,0	48
75-85 kg	STD	STD
85-95 kg	4,4	52
95-105 kg	4,6	54
105-115 kg	4,8	56
115-125 kg	5,0	58

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

SX50 2005-2006		
	Fork spring	Shock spring
Standard spring	26-350-2,0	47-140-40
Rider weight		
15-25 kg	1,8	35
25-35 kg	STD	STD
35-45 kg	2,2	45

SX50 2012 - 2015		
	Fork spring	Shock spring
Standard spring	29,5-330-2,0	47-130-35
Rider weight		
15-25 kg	1,8	30
25-35 kg	STD	STD
35-45 kg	2,2	40

SX65 2002-2011		
	Fork spring	Shock spring
Standard spring	30-380-3,0	47-220-40
Rider weight		
25-30 kg	2,4	AT REQ.
30-35 kg	2,6	30
35-40 kg	2,8	35
40-45 kg	STD	STD
45-50 kg	3,2	45
50-55 kg	AT REQ.	AT REQ.
50-55 kg	AT REQ.	AT REQ.

SX85 2004-2005		
	Fork spring	Shock spring
Standard spring	38-425-3,0	59-220-40
Rider weight		
30-35 kg	AT REQ.	AT REQ.
35-40 kg	2,4	30
40-45 kg	2,6	35
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 kg	3,2	45
60-65 kg	3,4	50
65-70 kg	3,6	55
70-75 kg	3,8	60

SX85/SX105 2008-2015		
	Fork spring	Shock spring
Standard spring	38-425-3,4	59-220-35
Rider weight		
30-35 kg	2,8	AT REQ.
35-40 kg	3,0	30
40-45 kg	3,2	30
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 kg	3,6	40
60-65 kg	3,8	45
65-70 kg	4,0	50
70-75 kg	AT REQ.	55
75-80 kg	AT REQ.	60

SX50 2006-2011		
	Fork spring	Shock spring
Standard spring	26-350-2,0	47-130-35
Rider weight		
15-25 kg	1,8	30
25-35 kg	STD	STD
35-45 kg	2,2	40

SX65 2012-2015		
	Fork spring	Shock spring
Standard spring	29,5-370-2,8	47-220-40
Rider weight		
25-30 kg	AT REQ.	AT REQ.
30-35 kg	2,4	30
35-40 kg	2,6	35
40-45 kg	STD	STD
45-50 kg	3,0	45
50-55 kg	3,2	50
50-55 kg	AT REQ.	AT REQ.

SX85 2006-2007		
	Fork spring	Shock spring
Standard spring	38-425-3,0	59-220-40
Rider weight		
30-35 kg	2,4	AT REQ.
35-40 kg	2,6	30
40-45 kg	2,8	30
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 kg	3,2	40
60-65 kg	3,4	45
65-70 kg	3,6	50
70-75 kg	3,8	55

SX125 2004-2006		
	Fork spring	Shock spring
Standard spring	43,2-505-4,2	63-250-72
Rider weight		
45-55 kg	AT REQ.	63
55-65 kg	3,8	66
65-75 kg	4,0	69
75-85 kg	STD	STD
85-95 kg	4,4	76
95-105 kg	4,6	80
105-115 kg	4,8	84
115-125 kg	5,0	88

Note:

Rider weight is body weight without clothing.

Spring rate / Rider weight

SX125 2007		
	Fork spring	Shock spring
Standard spring	43,2-455-4,2	63-250-60
Rider weight		
45-55 kg	AT REQ.	54
55-65 kg	3,8	56
65-75 kg	4,0	58
75-85 kg	STD	STD
85-95 kg	4,4	63
95-105 kg	4,6	66
105-115 kg	4,8	69
115-125 kg	5,0	72

SX125/150 2009-2011		
	Fork spring	Shock spring
Standard spring	43,2-485-4,2	63-250-63
Rider weight		
45-55 kg	AT REQ.	56
55-65 kg	3,8	58
65-75 kg	4,0	60
75-85 kg	STD	STD
85-95 kg	4,4	66
95-105 kg	4,6	69
105-115 kg	4,8	72
115-125 kg	5,0	76

SX125/150 2015		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-260-48
Rider weight		
45-55 kg	3,8	AT REQ.
55-65 kg	4,0	44
65-75 kg	4,2	46
75-85 kg	STD	STD
85-95 kg	4,6	50
95-105 kg	4,8	52
105-115 kg	5,0	54
115-125 kg	5,2	56

SX250 2007		
	Fork spring	Shock spring
Standard spring	43,2-455-4,4	63-250-63
Rider weight		
45-55 kg	3,8	56
55-65 kg	4,0	58
65-75 kg	4,2	60
75-85 kg	STD	STD
85-95 kg	4,6	66
95-105 kg	4,8	69
105-115 kg	5,0	76
115-125 kg	5,2	76

SX125/144 2008		
	Fork spring	Shock spring
Standard spring	43,2-485-4,2	63-250-60
Rider weight		
45-55 kg	AT REQ.	54
55-65 kg	3,8	56
65-75 kg	4,0	58
75-85 kg	STD	STD
85-95 kg	4,4	63
95-105 kg	4,6	66
105-115 kg	4,8	69
115-125 kg	5,0	72

SX125/150 2012-2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,2	63-260-48
Rider weight		
45-55 kg	AT REQ.	AT REQ.
55-65 kg	3,8	44
65-75 kg	4,0	46
75-85 kg	STD	STD
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

SX250 2004-2006		
	Fork spring	Shock spring
Standard spring	43,2-505-4,4	63-250-76
Rider weight		
45-55 kg	3,8	66
55-65 kg	4,0	69
65-75 kg	4,2	72
75-85 kg	STD	STD
85-95 kg	4,6	80
95-105 kg	4,8	84
105-115 kg	5,0	88
115-125 kg	5,2	92

SX250 2008		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-250-66
Rider weight		
45-55 kg	3,8	58
55-65 kg	4,0	60
65-75 kg	4,2	63
75-85 kg	STD	STD
85-95 kg	4,6	69
95-105 kg	4,8	72
105-115 kg	5,0	76
115-125 kg	5,2	80

Note:

Rider weight is body weight without clothing

Spring rate / Rider weight

SX250 2009-2011		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-250-69
Rider weight		
45-55 kg	3,8	60
55-65 kg	4,0	63
65-75 kg	4,2	66
75-85 kg	STD	STD
85-95 kg	4,6	72
95-105 kg	4,8	76
105-115 kg	5,0	80
115-125 kg	5,2	84

SX250 2012-2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-260-54
Rider weight		
45-55 kg	3,8	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	63

SX250 2015		
	Fork spring	Shock spring
Standard spring	43,2-485-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	63

SX-F250 2004-2006		
	Fork spring	Shock spring
Standard spring	43,2-505-4,4	63-250-76
Rider weight		
45-55 kg	3,8	66
55-65 kg	4,0	69
65-75 kg	4,2	72
75-85 kg	STD	STD
85-95 kg	4,6	80
95-105 kg	4,8	84
105-115 kg	5,0	88
115-125 kg	5,2	92

SX-F250 2007		
	Fork spring	Shock spring
Standard spring	43,2-455-4,4	63-250-63
Rider weight		
45-55 kg	3,8	56
55-65 kg	4,0	58
65-75 kg	4,2	60
75-85 kg	STD	STD
85-95 kg	4,6	66
95-105 kg	4,8	69
105-115 kg	5,0	72
115-125 kg	5,2	76

SX-F250 2008		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-250-66
Rider weight		
45-55 kg	3,8	58
55-65 kg	4,0	60
65-75 kg	4,2	63
75-85 kg	STD	STD
85-95 kg	4,6	69
95-105 kg	4,8	72
105-115 kg	5,0	76
115-125 kg	5,2	80

SX-F250 2009-2010		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-250-69
Rider weight		
45-55 kg	3,8	60
55-65 kg	4,0	63
65-75 kg	4,2	66
75-85 kg	STD	STD
85-95 kg	4,6	72
95-105 kg	4,8	76
105-115 kg	5,0	80
115-125 kg	5,2	84

SX-F250 2011-2012		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-260-54
Rider weight		
45-55 kg	3,8	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	63

Note:

Rider weight is body weight without clothing.

Spring rate / Rider weight

SX-F250 2013-2015		
	Fork spring	Shock spring
Standard spring	43,2-485-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	63

SX-F350 2011-2012		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-260-54
Rider weight		
45-55 kg	4,2	48
55-65 kg	4,4	50
65-75 kg	4,6	52
75-85 kg	STD	STD
85-95 kg	5,0	56
95-105 kg	5,2	58
105-115 kg	AT REQ.	60
115-125 kg	AT REQ.	63

SX-F350 2013-2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-260-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

SX-F450/525 2004-2006		
	Fork spring	Shock spring
Standard spring	43,2-505-4,6	63-250-80
Rider weight		
45-55 kg	4,0	69
55-65 kg	4,2	72
65-75 kg	4,4	76
75-85 kg	STD	STD
85-95 kg	4,8	84
95-105 kg	5,0	88
105-115 kg	5,0	92
115-125 kg	5,2	96

SX-F450/505 2007		
	Fork spring	Shock spring
Standard spring	43,2-455-4,6	63-250-66
Rider weight		
45-55 kg	4,0	58
55-65 kg	4,2	60
65-75 kg	4,4	63
75-85 kg	STD	STD
85-95 kg	4,8	69
95-105 kg	5,0	72
105-115 kg	5,2	76
115-125 kg	AT REQ.	80

SX-F450/505 2008		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-250-69
Rider weight		
45-55 kg	4,2	60
55-65 kg	4,4	63
65-75 kg	4,6	66
75-85 kg	STD	STD
85-95 kg	5,0	72
95-105 kg	5,2	76
105-115 kg	AT REQ.	80
115-125 kg	AT REQ.	84

SX-F450/505 2009-2010		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-250-72
Rider weight		
45-55 kg	4,2	63
55-65 kg	4,4	66
65-75 kg	4,6	69
75-85 kg	STD	STD
85-95 kg	5,0	76
95-105 kg	5,2	80
105-115 kg	AT REQ.	84
115-125 kg	AT REQ.	88

Note:

Rider weight is body weight without clothing.

Spring rate / Rider weight

SX-F450 2011-2012		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-250-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	63
115-125 kg	AT REQ.	66

SX-F450 2013-2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-260-57
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	63
115-125 kg	AT REQ.	66

EXC125/200 2005-2007		
	Fork spring	Shock spring
Standard spring	43,2-505-4,0	63-250-72
Rider weight		
45-55 kg	AT REQ.	63
55-65 kg	AT REQ.	66
65-75 kg	3,8	69
75-85 kg	STD	STD
85-95 kg	4,2	76
95-105 kg	4,4	80
105-115 kg	4,6	84
115-125 kg	4,8	88

EXC125/200 2008-2015		
	Fork spring	Shock spring
Standard spring	43,2-505-4,0	63-250-66
Rider weight		
45-55 kg	AT REQ.	58
55-65 kg	3,6	60
65-75 kg	3,8	63
75-85 kg	STD	STD
85-95 kg	4,2	69
95-105 kg	4,4	72
105-115 kg	4,6	76
115-125 kg	4,8	80

EXC125/200 SIX DAYS 2013		
	Fork spring	Shock spring
Standard spring	43,8-465-4,0	63-250-66
Rider weight		
45-55 kg	AT REQ.	58
55-65 kg	3,6	60
65-75 kg	3,8	63
75-85 kg	STD	STD
85-95 kg	4,2	69
95-105 kg	4,4	72
105-115 kg	4,6	76
115-125 kg	4,8	80

EXC125/200 2008-2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,0	63-250-66
Rider weight		
45-55 kg	AT REQ.	58
55-65 kg	3,6	60
65-75 kg	3,8	63
75-85 kg	STD	STD
85-95 kg	4,2	69
95-105 kg	4,4	72
105-115 kg	4,6	76
115-125 kg	4,8	80

EXC250/300 2005-2007		
	Fork spring	Shock spring
Standard spring	43,2-505-4,2	63-250-76
Rider weight		
45-55 kg	AT REQ.	66
55-65 kg	3,8	69
65-75 kg	4,0	72
75-85 kg	STD	STD
85-95 kg	4,4	80
95-105 kg	4,6	84
105-115 kg	4,8	88
115-125 kg	5,0	92

EXC250/300 2008-2015		
	Fork spring	Shock spring
Standard spring	43,2-505-4,2	63-250-69
Rider weight		
45-55 kg	AT REQ.	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

Note:

Rider weight is body weight without clothing.

Spring rate / Rider weight

EXC250/300 SIX DAYS 2013		
	Fork spring	Shock spring
Standard spring	43,8-465-4,2	63-250-69
Rider weight		
45-55 kg	3,6	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

EXC250/300 SIX DAYS 2014-2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,0	63-260-69
Rider weight		
45-55 kg	AT REQ.	60
55-65 kg	3,6	63
65-75 kg	3,8	66
75-85 kg	STD	STD
85-95 kg	4,2	72
95-105 kg	4,4	76
105-115 kg	4,8	80
115-125 kg	5,0	84

EXC-F250 2005-2007		
	Fork spring	Shock spring
Standard spring	43,2-505-4,2	63-250-76
Rider weight		
45-55 kg	AT REQ.	66
55-65 kg	3,8	69
65-75 kg	4,0	72
75-85 kg	STD	STD
85-95 kg	4,4	80
95-105 kg	4,6	84
105-115 kg	4,8	88
115-125 kg	5,0	92

EXC-F250/350 2008-2015		
	Fork spring	Shock spring
Standard spring	43,2-505-4,2	63-250-69
Rider weight		
45-55 kg	AT REQ.	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

EXC-F250 SIX DAYS 2013		
	Fork spring	Shock spring
Standard spring	43,8-465-4,2	63-250-69
Rider weight		
45-55 kg	3,6	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

EXC-F350 SIX DAYS 2013		
	Fork spring	Shock spring
Standard spring	43,8-465-4,4	63-250-69
Rider weight		
45-55 kg	3,8	60
55-65 kg	4,0	63
65-75 kg	4,2	66
75-85 kg	STD	STD
85-95 kg	4,6	72
95-105 kg	4,8	76
105-115 kg	5,0	80
115-125 kg	5,2	84

EXC-F250/350 SIX DAYS 2014-2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,2	63-250-69
Rider weight		
45-55 kg	3,6	60
55-65 kg	3,8	63
65-75 kg	4,0	66
75-85 kg	STD	STD
85-95 kg	4,4	72
95-105 kg	4,6	76
105-115 kg	4,8	80
115-125 kg	5,0	84

EXC-F400/450/525 2005-2007		
	Fork spring	Shock spring
Standard spring	43,2-505-4,4	63-250-80
Rider weight		
45-55 kg	3,8	69
55-65 kg	4,0	72
65-75 kg	4,2	76
75-85 kg	STD	STD
85-95 kg	4,6	84
95-105 kg	4,8	88
105-115 kg	5,0	92
115-125 kg	5,2	96

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

EXC-F400/450/530 2008-2011		
	Fork spring	Shock spring
Standard spring	43,2-505-4,6	63-250-72
Rider weight		
45-55 kg	4,0	63
55-65 kg	4,2	66
65-75 kg	4,4	69
75-85 kg	STD	STD
85-95 kg	4,8	76
95-105 kg	5,0	80
105-115 kg	5,2	84
115-125 kg	AT REQ.	88

EXC-F450/500 2012-2015		
	Fork spring	Shock spring
Standard spring	43,2-505-4,4	63-250-72
Rider weight		
45-55 kg	3,8	63
55-65 kg	4,0	66
65-75 kg	4,2	69
75-85 kg	STD	STD
85-95 kg	4,6	76
95-105 kg	4,8	80
105-115 kg	5,0	84
115-125 kg	5,2	88

EXC-F450/500 SIX DAYS 2013		
	Fork spring	Shock spring
Standard spring	43,8-465-4,6	63-250-72
Rider weight		
45-55 kg	4,0	63
55-65 kg	4,2	66
65-75 kg	4,4	69
75-85 kg	STD	STD
85-95 kg	4,8	76
95-105 kg	5,0	80
105-115 kg	5,2	84
115-125 kg	AT REQ.	88

EXC-F450/500 SIX DAYS 2014-2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,4	63-250-72
Rider weight		
45-55 kg	3,8	63
55-65 kg	4,0	66
65-75 kg	4,2	69
75-85 kg	STD	STD
85-95 kg	4,6	76
95-105 kg	4,8	80
105-115 kg	5,0	84
115-125 kg	5,2	88

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

RM85 2005-2010		
	Fork spring	Shock spring
Standard Spring	33-450-2,8	56/53-245-47,5
Rider weight		
35-40 kg	AT REQ.	40
40-45 kg	2,4	42,5
45-50 kg	2,6	45
50-55 kg	STD	STD
55-60 kg	3,0	50
60-65 kg	3,2	52,5
65-70 kg	3,4	55
70-75 kg	3,6	57,5

RM85 2011-2014		
	Fork spring	Shock spring
Standard Spring	33-450-2,8	56/53-245-45
Rider weight		
35-40 kg	AT REQ.	37,5
40-45 kg	2,4	40
45-50 kg	2,6	42,5
50-55 kg	STD	STD
55-60 kg	3,0	47,5
60-65 kg	3,2	50
65-70 kg	3,4	52,5
70-75 kg	3,6	55

RM125 2004-2009		
	Fork spring	Shock spring
Standard Spring	42,75-495-4,2	64/66-260-50
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	STD	STD
75-85 kg	4,4	52
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

RMZ250 2004-2006		
	Fork spring	Shock spring
Standard Spring	43,5-460-4,2	59/62-270-50
Rider weight		
45-55 kg	3,6	44
55-65 kg	3,8	46
65-75 kg	4,0	48
75-85 kg	STD	STD
85-95 kg	4,4	52
95-105 kg	4,6	54
105-115 kg	4,8	56
115-125 kg	5,0	58

RM85L 2005-2010		
	Fork spring	Shock spring
Standard Spring	33-450-2,8	56/53-245-52,5
Rider weight		
35-40 kg	AT REQ.	45
40-45 kg	2,4	47,5
45-50 kg	2,6	50
50-55 kg	STD	STD
55-60 kg	3,0	55
60-65 kg	3,2	57,5
65-70 kg	3,4	60
70-75 kg	3,6	AT REQ.

RM85L 2011-2014		
	Fork spring	Shock spring
Standard Spring	33-450-2,8	56/53-245-47,5
Rider weight		
35-40 kg	AT REQ.	40
40-45 kg	2,4	42,5
45-50 kg	2,6	45
50-55 kg	STD	STD
55-60 kg	3,0	50
60-65 kg	3,2	52,5
65-70 kg	3,4	55
70-75 kg	3,6	57,5

RM250 2004-2009		
	Fork spring	Shock spring
Standard Spring	42,75-495-4,4	64/66-260-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

RMZ250 2007-2009		
	Fork spring	Shock spring
Standard Spring	42,75-495-4,4	64/66-260-54
Rider weight		
45-55 kg	3,8	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	62

RMZ250 2013		
	Fork spring	Shock spring
Standard Spring	43,5/295-660-9,8	64/66-260-56
Rider weight		
45-55 kg	8,8	50
55-65 kg	9,2	52
65-75 kg	9,6	54
75-85 kg	STD	STD
85-95 kg	10,0	58
95-105 kg	10,4	60
105-115 kg	10,4	62
115-125 kg	AT REQ.	64

RMZ450 2005-2006		
	Fork spring	Shock spring
Standard Spring	42,75-495-4,6	64/66-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

RMZ450 2010-2012		
	Fork spring	Shock spring
Standard Spring	42,75-495-4,6	64/66-260-56
Rider weight		
45-55 kg	4,0	50
55-65 kg	4,2	52
65-75 kg	4,4	54
75-85 kg	STD	STD
85-95 kg	4,8	58
95-105 kg	5,0	60
105-115 kg	5,2	62
115-125 kg	AT REQ.	64

RMZ250 2010-2012		
	Fork spring	Shock spring
Standard Spring	42,75-495-4,6	64/66-260-56
Rider weight		
45-55 kg	4,0	50
55-65 kg	4,2	52
65-75 kg	4,4	54
75-85 kg	STD	STD
85-95 kg	4,8	58
95-105 kg	5,0	60
105-115 kg	5,2	62
115-125 kg	AT REQ.	64

RMZ250 2014		
	Fork spring	Shock spring
Standard Spring	43,5/295-660-9,8	64/66-260-54
Rider weight		
45-55 kg	8,8	48
55-65 kg	9,2	50
65-75 kg	9,6	52
75-85 kg	STD	STD
85-95 kg	10,0	56
95-105 kg	10,4	58
105-115 kg	10,4	60
115-125 kg	AT REQ.	62

RMZ450 2007-2009		
	Fork spring	Shock spring
Standard Spring	42,75-495-4,6	64/66-260-56
Rider weight		
45-55 kg	4,0	50
55-65 kg	4,2	52
65-75 kg	4,4	54
75-85 kg	STD	STD
85-95 kg	4,8	58
95-105 kg	5,0	60
105-115 kg	5,2	62
115-125 kg	AT REQ.	64

RMZ450 2013-2014		
	Fork spring	Shock spring
Standard Spring	43,5/295-660-9,8	64/66-260-56
Rider weight		
45-55 kg	8,8	50
55-65 kg	9,2	52
65-75 kg	9,6	54
75-85 kg	STD	STD
85-95 kg	10,0	58
95-105 kg	10,4	60
105-115 kg	10,4	62
115-125 kg	AT REQ.	64

Note: Rider weight is body weight without clothing.





Spring rate / Rider weight

YZ85 Small Wheels 2000-2014		
	Fork spring	Shock spring
Standard Spring	31-430-2,8	55-220-46
Rider weight		
35-40 kg	AT REQ.	37,5
40-45 kg	2,4	40
45-50 kg	2,6	42,5
50-55 kg	STD	STD
55-60 kg	3,0	47,5
60-65 kg	3,2	50
65-70 kg	3,4	52,5
70-75 kg	3,6	55

YZ125 2004		
	Fork spring	Shock spring
Standard Spring	43,2-485-4,0	59/62-270-46
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	STD	STD
75-85 kg	4,2	48
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

YZ125 2006-2014		
	Fork spring	Shock spring
Standard Spring	43,8-455-4,0	59/62-270-46
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	STD	STD
75-85 kg	4,2	48
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

YZ250 2005		
	Fork spring	Shock spring
Standard Spring	43,5-470-4,2	59/62-270-48
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	4,0	46
75-85 kg	STD	STD
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

YZ85 Large Wheels 2000-2014		
	Fork spring	Shock spring
Standard Spring	31-430-2,9	55-220-48
Rider weight		
35-40 kg	AT REQ.	40
40-45 kg	2,4	42,5
45-50 kg	2,6	45
50-55 kg	STD	STD
55-60 kg	3,0	50
60-65 kg	3,2	52,5
65-70 kg	3,4	55
70-75 kg	3,6	57,5

YZ125 2005		
	Fork spring	Shock spring
Standard Spring	43,5-470-4,0	59/62-270-46
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	STD	STD
75-85 kg	4,2	48
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

YZ250 2004		
	Fork spring	Shock spring
Standard Spring	43,2-485-4,2	59/62-270-48
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	4,0	46
75-85 kg	STD	STD
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

YZ250 2006-2014		
	Fork spring	Shock spring
Standard Spring	43,8-455-4,2	59/62-270-48
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	4,0	46
75-85 kg	STD	STD
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

Note:

Rider weight is body weight without clothing.





Spring rate / Rider weight

YZF250 2005		
	Fork spring	Shock spring
Standard Spring	43,5-470-4,2	59/62-270-50
Rider weight		
45-55 kg	3,6	44
55-65 kg	3,8	46
65-75 kg	4,0	48
75-85 kg	STD	STD
85-95 kg	4,4	52
95-105 kg	4,6	54
105-115 kg	4,8	56
115-125 kg	5,0	58

YZF250 2008		
	Fork spring	Shock spring
Standard Spring	43,8-455-4,4	59/62-270-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

YZF250 2014		
	Fork spring	Shock spring
Standard Spring	43,3-498-4,4	64/66-260-54
Rider weight		
45-55 kg	AT REQ.	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	62

YZF450 2005		
	Fork spring	Shock spring
Standard Spring	43,5-470-4,4	59/62-270-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

YZF250 2006-2007		
	Fork spring	Shock spring
Standard Spring	43,8-455-4,2	59/62-270-48
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	4,0	46
75-85 kg	STD	STD
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

YZF250 2009-2013		
	Fork spring	Shock spring
Standard Spring	43,8-455-4,4	59/62-270-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

YZF450 2004		
	Fork spring	Shock spring
Standard Spring	43,2-485-4,4	59/62-270-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

YZF450 2006-2009		
	Fork spring	Shock spring
Standard Spring	43,8-455-4,6	59/62-270-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

Note:

Rider weight is body weight without clothing.





Spring rate / Rider weight

YZF450 2010-2011		
	Fork spring	Shock spring
Standard Spring	43,5-470-4,6	64/66-260-56
Rider weight		
45-55 kg	4,0	50
55-65 kg	4,2	52
65-75 kg	4,4	54
75-85 kg	STD	STD
85-95 kg	4,8	58
95-105 kg	5,0	60
105-115 kg	5,2	62
115-125 kg	AT REQ.	64

YZF450 2014		
	Fork spring	Shock spring
Standard Spring	43,5-498-4,6	64/66-260-56
Rider weight		
45-55 kg	4,0	50
55-65 kg	4,2	52
65-75 kg	4,4	54
75-85 kg	STD	STD
85-95 kg	4,8	58
95-105 kg	5,0	60
105-115 kg	5,2	62
115-125 kg	AT REQ.	64

WR250F 2005-2006		
	Fork spring	Shock spring
Standard Spring	43,5-460-4,2	59/62-270-46
Rider weight		
45-55 kg	3,6	AT REQ.
55-65 kg	3,8	42
65-75 kg	4,0	44
75-85 kg	STD	STD
85-95 kg	4,4	48
95-105 kg	4,6	50
105-115 kg	4,8	52
115-125 kg	5,0	54

WR450F 2003-2004		
	Fork spring	Shock spring
Standard Spring	41-460-4,1	59/62-270-48
Rider weight		
45-55 kg	AT REQ.	42
55-65 kg	AT REQ.	44
65-75 kg	AT REQ.	46
75-85 kg	AT REQ.	STD
85-95 kg	AT REQ.	50
95-105 kg	AT REQ.	52
105-115 kg	AT REQ.	54
115-125 kg	AT REQ.	56

YZF450 2012-2013		
	Fork spring	Shock spring
Standard Spring	43,5-470-4,6	64/66-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

WR250F 2002-2004		
	Fork spring	Shock spring
Standard Spring	41-460-4,1	59/62-270-46
Rider weight		
45-55 kg	AT REQ.	AT REQ.
55-65 kg	AT REQ.	42
65-75 kg	AT REQ.	44
75-85 kg	AT REQ.	STD
85-95 kg	AT REQ.	48
95-105 kg	AT REQ.	50
105-115 kg	AT REQ.	52
115-125 kg	AT REQ.	54

WR250F 2007-2014		
	Fork spring	Shock spring
Standard Spring	43,5-460-4,4	59/62-270-52
Rider weight		
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	4,2	50
75-85 kg	STD	STD
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58
115-125 kg	5,2	60

WR450F 2005-2006		
	Fork spring	Shock spring
Standard Spring	43,5-460-4,2	59/62-270-48
Rider weight		
45-55 kg	3,6	42
55-65 kg	3,8	44
65-75 kg	4,0	46
75-85 kg	STD	STD
85-95 kg	4,4	50
95-105 kg	4,6	52
105-115 kg	4,8	54
115-125 kg	5,0	56

Note:

Rider weight is body weight without clothing.





Spring rate / Rider weight

WR450F 2007-2011		
	Fork spring	Shock spring
Standard Spring	43,5-460-4,4	59/62-270-54
Rider weight		
45-55 kg	3,8	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	62

WR450F 2012-2014		
	Fork spring	Shock spring
Standard Spring	43,8-455-4,4	59/62-270-54
Rider weight		
45-55 kg	3,8	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	62

Note:

Rider weight is body weight without clothing.

**Article list fork
springs**

Article number:	Strength:	Fits:
WP 29,5-370-2,4N	2,4 N/mm	KTM
WP 29,5-370-2,6N	2,6 N/mm	- SX65 >2012
WP 29,5-370-2,8N	2,8 N/mm	
WP 29,5-370-3,0N	3,0 N/mm	
WP 29,5-370-3,2N	3,2 N/mm	

Article number:	Strength:	Fits:
WP 38-425-2,4N	2,4 N/mm	KTM
WP 38-425-2,6N	2,6 N/mm	- SX85 >2004
WP 38-425-2,8N	2,8 N/mm	HUSQVARNA
WP 38-425-3,0N	3,0 N/mm	- TC85 >2014
WP 38-425-3,2N	3,2 N/mm	
WP 38-425-3,4N	3,4 N/mm	
WP 38-425-3,6N	3,6 N/mm	

Article number:	Strength:	Fits:
WP 43,8-465-3,6N	3,6 N/mm	KTM all Six Days
WP 43,8-465-3,8N	3,8 N/mm	- EXC models >2013
WP 43,8-465-4,0N	4,0 N/mm	- EXCF models >2013
WP 43,8-465-4,2N	4,2 N/mm	HUSQVARMA
WP 43,8-465-4,4N	4,4 N/mm	- TC models >2015
WP 43,8-465-4,6N	4,6 N/mm	- FC models >2015
WP 43,8-465-4,8N	4,8 N/mm	HUSABERG
WP 43,8-465-5,0N	5,0 N/mm	- TE models 2013-2014 - FE models 2013-2014

Article number:	Strength:	Fits:
WP 43,2-485-3,8N	3,8 N/mm	KTM
WP 43,2-485-4,0N	4,0 N/mm	- SX/F from 125cc >2008
WP 43,2-485-4,2N	4,2 N/mm	HUSABERG
WP 43,2-485-4,4N	4,4 N/mm	- all WP closed cartridge fork
WP 43,2-485-4,6N	4,6 N/mm	2007-2012
WP 43,2-485-4,8N	4,8 N/mm	YAMAHA
WP 43,2-485-5,0N	5,0 N/mm	- YZ125/250 YZF250/450
WP 43,2-485-5,2N	5,2 N/mm	2004

**Article list fork
springs**

Article number:	Strength:	Fits:
WP 43,2-505-3,8N	3,8 N/mm	KTM
WP 43,2-505-4,0N	4,0 N/mm	- SX/F from 125cc 2002-2006
WP 43,2-505-4,2N	4,2 N/mm	- EXC/F from 125cc >2003
WP 43,2-505-4,4N	4,4 N/mm	HUSABERG
WP 43,2-505-4,6N	4,6 N/mm	- all WP open cartridge fork
WP 43,2-505-4,8N	4,8 N/mm	
WP 43,2-505-5,0N	5,0 N/mm	
WP 43,2-505-5,2N	5,2 N/mm	

Article number:	Strength:	Fits:
SH 43,5-460-3,8N	3,8 N/mm	HONDA
SH 43,5-460-4,0N	4,0 N/mm	- CRF250 >2010
SH 43,5-460-4,2N	4,2 N/mm	- CRF450 2009-2012
SH 43,5-460-4,4N	4,4 N/mm	KAWASAKI
SH 43,5-460-4,6N	4,6 N/mm	- KX125 >2003
SH 43,5-460-4,8N	4,8 N/mm	- KX250 2003-2004
SH 43,5-460-5,0N	5,0 N/mm	- KXF250 2004-2005
SH 43,5-460-5,2N	5,2 N/mm	- KLX450R 2007- 2008
		SUZUKI
		- RMZ250 2004-2006
		YAMAHA
		- WR250F >2005
		- WR450F 2005-2011

Article number:	Strength:	Fits:
SH 42,75-495-3,8N	3,8 N/mm	HONDA
SH 42,75-495-4,0N	4,0 N/mm	- CR250 1997-2008
SH 42,75-495-4,2N	4,2 N/mm	- CRF250 2004-2009
SH 42,75-495-4,4N	4,4 N/mm	- CRF450 2002-2008
SH 42,75-495-4,6N	4,6 N/mm	KAWASAKI
SH 42,75-495-4,8N	4,8 N/mm	- KXF250 2006-2010
SH 42,75-495-5,0N	5,0 N/mm	SUZUKI
SH 42,75-495-5,2N	5,2 N/mm	- RM125/250 >2004
		- RMZ250 2007-2012
		- RMZ450 2005-2012

**Article list fork
springs**

Article number:	Strength:	Fits:
SH 43,5-660-8,8N	8,8 N/mm	KAWASAKI
SH 43,5-660-9,2N	9,2 N/mm	- KXF250 >2013
SH 43,5-660-9,6N	9,6 N/mm	SUZUKI
SH 43,5-660-9,8N	9,8 N/mm	- RMZ250/450 >2013
SH 43,5-660-10,0N	10,0 N/mm	
SH 43,5-660-10,4N	10,4 N/mm	
Article number:	Strength:	Fits:
SH 43/40,5-740-8,0N	8,0 N/mm	KAWASAKI
SH 43/40,5-740-8,8N	8,8 N/mm	- KXF250 2011-2012
SH 43/40,5-740-9,2N	9,2 N/mm	
SH 43/40,5-740-9,6N	9,6 N/mm	
SH 43/40,5-740-10,0N	10,0 N/mm	
SH 43/40,5-740-10,4N	10,4 N/mm	
Article number:	Strength:	Fits:
KA 43,8-455-3,6N	3,6 N/mm	KTM
KA 43,8-455-3,8N	3,8 N/mm	- SX/F from 125cc 2007
KA 43,8-455-4,0N	4,0 N/mm	YAMAHA
KA 43,8-455-4,2N	4,2 N/mm	- YZ125/250/250F 2006-2013
KA 43,8-455-4,4N	4,4 N/mm	- YZF450 2006-2009
KA 43,8-455-4,6N	4,6 N/mm	- WR450F >2012
KA 43,8-455-4,8N	4,8 N/mm	HUSQVARNA
KA 43,8-455-5,0N	5,0 N/mm	- CR/TCTCX 125-511 2010-2013
Article number:	Strength:	Fits:
KA 43,5-470-3,8N	3,8 N/mm	KAWASAKI
KA 43,5-470-4,0N	4,0 N/mm	- KX125/250 2002
KA 43,5-470-4,2N	4,2 N/mm	- KX250 >2005
KA 43,5-470-4,4N	4,4 N/mm	- KXF450 2007-2012
KA 43,5-470-4,6N	4,6 N/mm	YAMAHA
KA 43,5-470-4,8N	4,8 N/mm	- YZ125/250 2005
KA 43,5-470-5,0N	5,0 N/mm	- YZF250/450 2005
KA 43,5-470-5,2N	5,2 N/mm	- YZ450F 2010-2013

**Article list fork
springs**

Article number:	Strength:	Fits:
KA 43,5-498-3,8N	3,8 N/mm	YAMAHA
KA 43,5-498-4,0N	4,0 N/mm	- YZF250/450 >2014
KA 43,5-498-4,2N	4,2 N/mm	
KA 43,5-498-4,4N	4,4 N/mm	
KA 43,5-498-4,6N	4,6 N/mm	
KA 43,5-498-4,8N	4,8 N/mm	
KA 43,5-498-5,0N	5,0 N/mm	
KA 43,5-498-5,2N	5,2 N/mm	

Article list shock springs

Article number:	Strength:	Fits:
WP 47-220-30N	30 N/mm	KTM
WP 47-220-35N	35 N/mm	- SX65 >2000
WP 47-220-40N	40 N/mm	
WP 47-220-45N	45 N/mm	
WP 47-220-50N	50 N/mm	
Article number:	Strength:	Fits:
WP 59-220-30N	30 N/mm	KTM
WP 59-220-35N	35 N/mm	- SX85 >2004
WP 59-220-40N	40 N/mm	HUSQVARNA
WP 59-220-45N	45 N/mm	- TC85 >2014
WP 59-220-50N	50 N/mm	
WP 59-220-55N	55 N/mm	
WP 59-220-60N	60 N/mm	
Article number:	Strength:	Fits:
WP 63-250-63N	63 N/mm	KTM WP PDS shock
WP 63-250-66N	66 N/mm	- SXF 2005-2010
WP 63-250-69N	69 N/mm	- SX from 125cc 2000-2011
WP 63-250-72N	72 N/mm	- EXC/EXC-F from 125cc >2000
WP 63-250-76N	76 N/mm	HUSABERG WP PDS shock
WP 63-250-80N	80 N/mm	- TE/FE 2000-2014
WP 63-250-84N	84 N/mm	
WP 63-250-88N	88 N/mm	
WP 63-250-92N	92 N/mm	
Article number:	Strength:	Fits:
WP 63-260-44N	44 N/mm	KTM
WP 63-260-46N	46 N/mm	- SX/F250/350/450/500 >2011
WP 63-260-48N	48 N/mm	- SX125/150/250 >2012
WP 63-260-50N	50 N/mm	HUSQVARNA
WP 63-260-52N	52 N/mm	- TC/TE from 125cc >2014
WP 63-260-54N	54 N/mm	
WP 63-260-56N	56 N/mm	
WP 63-260-58N	58 N/mm	
WP 63-260-60N	60 N/mm	

**Article list fork
springs**

Article number:	Strength:	Fits:
SH 64/66-260-44N	44 N/mm	HONDA
SH 64/66-260-46N	46 N/mm	- CR250 >2000
SH 64/66-260-48N	48 N/mm	- CRF250 >2004
SH 64/66-260-50N	50 N/mm	- CRF450 >2002
SH 64/66-260-52N	52 N/mm	KAWASAKI
SH 64/66-260-54N	54 N/mm	- KXF250 >2006
SH 64/66-260-56N	56 N/mm	- KXF450 >2009
SH 64/66-260-58N	58 N/mm	SUZUKI
SH 64/66-260-60N	60 N/mm	- RM125 >1998
SH 64/66-260-62N	62 N/mm	- RM250 >2004
		- RMZ250 >2007
		- RMZ450 >2005
		YAMAHA
		- YZF250 >2014
		- YZF450 >2010

Article number:	Strength:	Fits:
KA 59/62-270-44N	44 N/mm	HONDA
KA 59/62-270-46N	46 N/mm	- CR125 >1995
KA 59/62-270-48N	48 N/mm	- CR250 1992-1999
KA 59/62-270-50N	50 N/mm	- CR500 >1995
KA 59/62-270-52N	52 N/mm	KAWASAKI
KA 59/62-270-54N	54 N/mm	- KX125/250 >1995
KA 59/62-270-56N	56 N/mm	- KX500 >1992
KA 59/62-270-58N	58 N/mm	- KXF250 2004-2005
KA 59/62-270-60N	60 N/mm	- KXF450 2006-2008
KA 59/62-270-62N	62 N/mm	- KLX450R >2007
		SUZUKI
		- RM250 2001-2003
		- RMZ250 2004-2006
		YAMAHA
		- YZ125/250 >1996
		- YZF250/400/426/450 1996-2013
		- WR/F >1996